



First aid fact sheet

Stroke

Recognise stroke?

If you see any of these symptoms, act **F.A.S.T.!**

F – Has the person's **FACE** drooped?

A – Can they lift both **ARMS**?

S – Is the person's **SPEECH** slurred? Do they understand you?

T – Call triple zero (000). **TIME** is critical.

© Stroke Foundation <https://strokefoundation.org.au/>

Signs and symptoms

- facial weakness
- arm weakness
- weakness or paralysis, especially on one side of the body
- difficulty speaking or understanding
- feeling of numbness in face, arm or leg
- disturbed vision
- loss of balance
- faintness, dizziness
- confusion
- loss of consciousness

What to do

- 1 Follow DRSABCD.
- 2 Call triple zero (000) for an ambulance.
- 3 Reassure the patient. The patient may not be able to clearly communicate, which may cause them extreme anxiety.
- 4 Help the patient to sit or lie down in a comfortable position. Support the patient's head and shoulders on pillows.
- 5 Loosen any tight clothing.
- 6 Keep the patient warm.
- 7 Wipe away any secretions from the patient's mouth.
- 8 Stay with the patient until medical aid arrives.

In a medical emergency call **Triple Zero (000)**

DRSABCD Danger ▶ Response ▶ Send for help ▶ Airway ▶ Breathing ▶ CPR ▶ Defibrillation

Find out more • www.stjohnnsw.com.au • **1300 ST JOHN**